

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>L1</b>	<b>2</b>	<b>5941947.pn.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>
<b>2</b>	<b>L2</b>	<b>73</b>	("4184200"   "4280176"   "4432057"   "4493024"   "4799153"   "4799156"   "4800488"   "4858117"   "4899136"   "4914571"   "5079765"   "5113499"   "5140689"   "5151989"   "5187790"   "5247676"   "5257369"   "5265250"   "5291597"   "5307490"   "5321841"   "5329619"   "5341477"   "5347632"   "5355497"   "5367621"   "5371852"   "5388255"   "5396626"   "5423003"   "5434994"   "5444848"   "5455932"   "5463625"   "5473599"   "5475819"   "5481720"   "5483652"   "5490270"   "5491800"   "5491817"   "5491820"   "5497463"   "5499342"   "5500929"   "5513314"   "5526491"   "5530852"   "5544313"   "5544327"   "5548724"   "5548726"   "5551508"   "5553239"   "5553242"   "5559969"   "5564043"   "5572643"   "5581753"   "5592611"   "5596579"   "5596744"   "5608865"   "5608903"   "5617568"   "5617570"   "5619632"   "5650994"   "5666519"   "5675723"   "5675796"   "5696895"   "5774668").PN.	<b>USPAT</b>
<b>3</b>	<b>L3</b>	<b>0</b>	<b>2 and token and (anonymous)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>L1</b>	<b>4606</b>	<b>password and (authenticat\$4 or authoriz\$6) and access\$4 and ((cache or token or memory) with stor\$3)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>
<b>2</b>	<b>L2</b>	<b>846</b>	<b>1 and 709/\$.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>
<b>3</b>	<b>L3</b>	<b>187</b>	<b>2 and (@ad&lt;19960814 or @prad&lt;19960814)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>
<b>4</b>	<b>L4</b>	<b>4450</b>	<b>(password or token or authorization or authentication or user adj id) with (store\$1 or storing or maintain\$3) with (memory or cache)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>
<b>5</b>	<b>L5</b>	<b>2916</b>	<b>(password or token or authorization or authentication or user adj id).ti,ab. and 4</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>
<b>6</b>	<b>L6</b>	<b>93</b>	<b>5 and 709/\$.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>
<b>7</b>	<b>L7</b>	<b>34</b>	<b>6 and (@ad&lt;19960814 or @prad&lt;19960814)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>
<b>8</b>	<b>L8</b>	<b>18</b>	<b>5689638.URPN.</b>	<b>USPAT</b>
<b>9</b>	<b>L9</b>	<b>3533</b>	<b>709/217,219,225,229.ccls. or 713/201.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>
<b>10</b>	<b>L10</b>	<b>1004</b>	<b>9 and (@ad&lt;19960814 or @prad&lt;19960814)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>
<b>11</b>	<b>L11</b>	<b>3809</b>	<b>709/217,219,225,229.ccls. or 713/201,202.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>
<b>12</b>	<b>L12</b>	<b>1122</b>	<b>11 and (@ad&lt;19960814 or @prad&lt;19960814)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>4</b>	<b>L4</b>	<b>13</b>	<b>2 and token</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>
<b>5</b>	<b>L5</b>	<b>250</b>	<b>(token or password) with represent\$3 with user</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>
<b>6</b>	<b>L6</b>	<b>7</b>	<b>(token or password) with represent\$3 with (various or plurality or multiple or many) with user</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>
<b>7</b>	<b>L7</b>	<b>11</b>	<b>(anonymous near3 (password or token))</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>
<b>8</b>	<b>L8</b>	<b>217</b>	<b>(token or password) near5 (various or plurality or multiple or many) near5 user</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>
<b>9</b>	<b>L9</b>	<b>58</b>	<b>(token or password) near5 (various or plurality or multiple or many) adj2 user</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>
<b>10</b>	<b>L10</b>	<b>9</b>	<b>(anonymous\$2 near (id or password or token or login or logon or log-in or log-on or log adj (in or on))).ti,ab.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>
<b>11</b>	<b>L11</b>	<b>5</b>	<b>((multiple or many or plural\$3 or various) adj (client or user)) near5 (("same" or identical) adj2 (password or token))</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</b>